

Arena

Reflections



FIRST IN INNOVATION • BEST BY DESIGN • ULTIMATE IN PERFORMANCE

Spa Specifications



Arena

Reflections



Shell Colours



Dimensions/Capacity 87"x87"x36" / 340gls
Seating Capacity 7 Adults
Weight Wet: 3395lbs / Dry: 560lbs
Features Barrier Free Seating
 1 Single Speed Pump
 16 Jets
 CrystalZone Water Management System

Trim Options



General	
Shape	Round
Seating Capacity	7+
Shell Material	Ultralife™ / Granitex™
Dimensions	87" Diameter x 36" H / (221cm Diameter x 91cm H)
Corner Radii	n/a
Water Capacity	340 Gallons (1287 Liters)
Dry Weight	560 lbs (254 kg)
Shipping Weight	Domestic 560 lbs (254 kg) - Export 610 lbs (277 kg)
Full Weight	3395 lbs (1540 kg)
Skirt Material	Domestic Synthetic - Export Wood or Synthetic

Water System	
Water Treatment System	Crystal Zone™
Plumbing Systems	2
Filters/Coverage	2 / 75 sq. ft.
Gate Valves	2
VCR Jet® - Air Adjustable/Directional	2
VCR Jet® - Rotator	6
VCR Jet® - Mini Rotator	2
VCR Jet® - Mini Directional	2
Typhoon Jet	2
Ozone Jet	1
Heater Return Jet	1
Pump Returns	2
Diverter Valves	1
Floor Drains	1
Skimmer	8" Weir


Pump Information	Domestic (60Hz) (North America/Asia)	Export (50Hz)
Motor Size – Peak HP	4.0 (2.5) Hp	3.6 (2.0) HP
Jet Pumps # of Pumps/Speed	One / Dual	One / single
Circulation pump	1	1
Fountain pump	n/a	n/a

Electrical System	Domestic (60Hz) (North America/Asia)	Export (50Hz)
Voltage	240	240
Amperage	40/30	1X16 / 2X16 / 1X32
Heater	FastFlo 2.7,4.0,5.5 kW	FastFlo 2.9 kW
Thermostat	Electronic	Electronic
Light	Multi color LED	Multi color LED
Control System	MSPA-MP-D12	MSPA-MP-D11-CE
Upper Control (programmable)	MSPA-1 midrange UCP	MSPA-1 midrange UCP
Auxiliary Upper Control	No	No

Arena

Architectural Specifications

Reflections



Caution:

Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.

1. Subject to change without notice.
2. Engineering specs may differ slightly from brochure.
3. For E-Z lifter installation allow 18" (45.72cm) clearances on the backside of the spa.
4. Alternative cabinets may add significant weight. Ask your dealer for exact details

Dimensions shown as inches and (centimeters) -XX" (cm)